#### NATIONAL INSTITUTE OF RURAL DEVELOPMENT & PANCHAYATI RAJ

(Ministry of Rural Development, Government of India) Rajendranagar – Hyderabad 500 030

#### e-tender for

Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus

Online bids are invited by the Executive Engineer, National Institute of Rural Development, Panchayati Raj Rajendranagar, Hyderabad 500 030 on behalf of Director General, NIRD&PR from approved and eligible contractors of CPWD and those on appropriate list of P&T,MES, Railways and State PWD.

Bidding document No:EE/CMU/20-21/15	EMD for Rs 14,400
Bid document download/sale start Date & Time	3-5- 2021 at 10.00 AM
Bid submission due date and time	10-5-2021 at 3.00 PM
Publishing date:	3-5-2021 at 10.00 AM

- 2. Completion period is 90 (ninety days) Bidders are requested to update themselves before quoting for the tender.
  - 3. The detailed NIT along with qualification criteria, EMD bidding document etc can be viewed /Downloaded from any of the given website: <a href="http://eprocure.gov.in/eprocure/app.Bidders">http://eprocure.gov.in/eprocure/app.Bidders</a> are required to upload and submit their E-bid on Central Public Procurement Portal only. All amendments, time extension, clarification etc., will be uploaded in the website only and will not be published in newspapers. Bidders should regularly visit website to keep themselves updated.

Sd/-

F.No:No:EE/CMU/20-21/15

Dated: 3-5-2021

Executive Engineer
CMU,NIRD&PRHyderabad-30

#### NATIONAL INSTITUTE OF RURAL DEVELOPMENT & PANCHAYATI RAJ

(Ministry of Rural Development, Government of India) Rajendranagar – Hyderabad 500 030

Online bids are invited under stage two bid system for the

Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus

Tender documents may be downloaded from NIRD&PR website <a href="http://eprocure.gov.in/eprocure/app.">http://eprocure.gov.in/eprocure/app.</a> asper the schedule as given in Critical date sheet as under

#### **CRITICAL DATE SHEET**

Published date	3-05-2021 at 10.00 AM
Bid document download/ sale start date	3-5-2021 at 10.00 AM
Clarification start date	3-05-2021 at 10.00 AM
Clarification end date	10-05-2021 at 3.00 PM
Bid submission start date	3-5-2021 at 10.00 AM
Bid submission end date	10-5-2021 at 3.00 PM
Technical Bid opening date	11-5-2021 at 3.00 PM

- 2. Bids shall be submitted online only at CPPP websitehttp://eprocure.gov.in/eprocure/app.
- 3. Not more than one tender shall be submitted by one contractor or contractors having business relationship. Under no circumstance will father and his son(s) or other close relations who have business relationship with one another (i.e. when one or more partner(s) / director(s) are common be allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parties liable torejection.
- 4. Applicant contractor must provide demand draft for Rs.14,400/-(Rupees Fourteen thousand four hundredonly) (to be purchased on or after publication date of this tender) in favour of NIRD&PR, Rajendranagar, Hyderabad 500 030 and payable at Hyderabad obtained from any Nationalized/ Scheduled Bank downloaded tenders towards Earnest Money Deposit. All applicable bank charges shall be borne by the applicant and he shall not have any claim what so ever on this account ongovernment.

- 5. TheHardCopyoforiginalinstrumentsi.e.DemandDraftinrespectofEarnest Money Deposit, other documents must be delivered to the Executive Engineer,CMU,NIRD&PR, Rajendranagar, Hyderabad 500 030 on or before bid openingdate/timeasmentionedincriticaldatesheet. Tenderershalllikelyto be liable for legal action for non-submission of original payment instrument like DD etc. against the submittedbid.
- 6. Bids will be opened online as per date/ time as mentioned in theNotice Inviting Tender at Central Public Procurement Portal (<a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.) after online opening of Technical-Bid the results of their qualification as well price bid opening will be intimated later.

#### **Submission of Tender:**

Thetendershallbesubmittedonlineintwopartsviz.,technicalbidandfinancialbid.The offerssubmittedbytelegram/Fax/emailshallnotbeconsidered.Nocorrespondencewill be entertained in thismatter.

#### Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (URL <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.). The bidders are required to submit soft copies of their bids electronically on the CPP portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids onlineon the CPPPortal.

More information useful for submitting online bids on the CPP Portal may be obtained at: http://eprocure.gov.in/eprocure/app.

#### Registration:

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.) by clicking on the link" Online Bidder Enrollment" on the CPP Portal is free ofcharge.
- 2. As part of the enrolment process, the bidders will be required tochoose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid e-mail address and mobile numbers as part of the registration process. These would be used forany communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g.Sify / TCS /nCode /eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by the a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC"s to others which may lead tomisuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/ password and the password of the DSC/e-Token.

Contractor

**EXECUTIVEENGINEER** 

#### **Searching for Tender Documents:**

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date value etc. there is also an option of advancedsearchfortenderswhereinthebiddersmaycombineanumberofsearch parameters such as organization name, form of contract, location, date other keywords etc to search for a tender published on the CCPPortal.
- 2. Once the bidders have selected the tenders they are interested in they may downloadtherequireddocuments/tenderschedules. These tenders can be moved to the respective "MyTenders" folder. This would enable the CPPP or talto in timate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to eachtender, in case they want to obtain any clarification / help from thehelpdesk

#### **Preparation of Bids**

- 1. Bidder should take into account any corrigendum published on the tender document before submitting theirbids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note thenumberofcoversinwhichthebiddocumentshavetobesubmitted, thenumber ofdocuments—including thenames and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, inadvancesshouldgetreadythebiddocumentstobesubmittedasindicated in the tender document/ schedule and generally, they can be in PDF/ XLS / RAR / DWF formats. Bid documents may be scanned with 300 dpi with black and white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (i.e. PAN Card copy, annual reports, auditor certificate setc) has been provided to the bidders. Bidders can use "MySpace" are a available to them to upload such documents. These documents may be directly submitted from the "My Spare" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process

#### Submission of Bids:

- 1. Bidder should log into the site well in advance for bid submission so that he /she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to otherissues.
- 2. Thebidderhastodigitallysignanduploadtherequiredbiddocumentsonebyone as indicated in the tenderdocument.
- **3.** Bidder as to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of theinstrument

- **4.** Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/ couriered/ given in person to the Tender Processing section, latest by the last date of bid submission. The details of the DD/ any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5. A standard price bid format has been provided with the tender document to be filledbyallthebidders. Biddersarerequestedtonotethattheyshouldnecessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the file and quote the amount on hard copy. Once the details have been completed, the bidder should submit it onlineinformofsoftcopy, if the file is found to be modified by the bidder, the bid will be rejected.
- **6.** Theservertime(whichisdisplayedonthebiddersdashboard)willbeconsidered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should flow this time during bid submission.
- **7.** All the documents being submitted by the bidders would be encrypted using PKI encryptiontechniquestoensurethesecrecyofthedata. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentially of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive field isdone.
- **8.** Theuploadedtenderdocumentsbecomereadableonlyafterthetenderopening by the authorized bidopeners.
- **9.** Upon the successful and timely submission of bids, the portal will give a successfulbidssubmissionmessageandabidsummarywillbedisplayedwiththe bid no and the data and time of the bid with all other relevantdetails.
- **10.** The bid summary has to be printed and kept at an acknowledgement of the submission of the bid openingmeetings.

#### **Assistance to Bidders:**

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person.contact details for tender related queries:Executive Engineer CMU.,NIRD&PR in office hours from 10:30 am to 5:30 pm on PH:040- 24008555 ,Hyderabad.
  - 2. Any queries relating to the process of online bid submission or queries relating to CPPPortalingeneralmaybedirectedtothe24x7CPPPortalHelpdesk.Thecontact number for the helpdesk is 1800 23373

Contractor

**EXECUTIVEENGINEER** 

# Part 1: (Technical Bid)

The following documents are to be furnished by the Contactor in 1<sup>st</sup> Cover as per the tender document.

Scanned copies of the following

- 1. Scanned copy of Contractor Registration Certificate
- 2. Scanned copies of Income Tax/ PAN card.
- 3. Scanned copy of GSTRegistration
- 4. The Demand Draft for Rs14,400/-towards Earnest Money Deposit(EMD).

**Note:** The original demand draft towards Earnest Money Deposit and hard copies of the above documents should be submitted on or before bid submission closing date and time to **Executive Engineer, CMU, NIRD&PR, Hyderabad.** 

Contractor

**EXECUTIVEENGINEER** 

# **Estimate**

Name of the work: Minor repairs and internal Painting to Vindyachal Guest House. .

SNo	Description of items	Qty	Per	Rate	Amount
1.	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. (DSR-2018 code No. 13.91 P.No.236)	329	sqm	18.25	6004.25
2.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  (DSR-2018 code No. 13.80 P.No.235)	329	sqm	115.15	37,884.35
3.	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface:  a. Water thinnable cement primer (DSR-2018 code No. 13.43+13.43.1 P.No.231)	658	sqm	60.00	39,480.00
4.	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound ) content less than 50 grams/litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.  a. One coat (DSR-2018 code No. 13.82+13.82.1 P.No.236)	7473	sqm	71.80	5,36,561.40
5.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.  Concealed work, including cutting chases and making good the walls etc  a. 20 mm nominal outer dia Pipes (DSR-2018 code No. 18.8+18.8.2 P.No.333)	30	mtrs	478.15	14,344.50
6.	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry	8	mtrs	927.90	7,423.20

	@ 3.3kg per sqm including pointing in white cement mixed with pigment of				
	matching shade complete. (DSR-2018 code No. 11.37A P.No.198)				
7.	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.  (DSR-2018 code No. 11.37 P.No.198)	16	sqm	926.90	14,830.40
8.	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):  a. 25 mm nominal bore (DSR-2018 code No. 18.17+18.17.1 P.No.335)	4	nos	497.15	1988.60
9.	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:  a. White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap (DSR-2018 code No. 17. 7+17.7.4P.No.300)	4	nos	2510.45	10,041.18
10.	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:  a. White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests  DSR-2018 code No. 17. 1+ 17.1.1,  P.No.299)	2	nos	5421.50	10,843.00
				Total Rs.	6,79,400.88
			Add cost	index 5.93% Rs.	40,288.47
					7,19,689.35

#### NATIONAL INSTITUTE OF RURAL DEVELOPMENT & PANCHAYATI RAJ

Proforma for Quoting the Rates
NIT No. /EE/ 2020-21/15
(EE's Office NIT NoEE/CMU/2020-21/15)

Name of the work: Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus Estimated Cost Put to Tender Rs. 7,19,689.35/-

	Name of the Contractor				
S.No	Name of component Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus		Percentage above or below the estimated cost	% in Figures	Total Cost
1.	Civil Work	Rs			
	Grand Total Rs.	Rs.			

#### **IMPORTANT NOTE:**

- 1. The Estimated Cost Put to Tender has been worked out by taking into consideration the Cost Index of Hyderabad thereby enhancing by DSR 2018 items only in Civil & Electrical component items and considering the Market Rates fir NSR items.
- 2. The tenderer is required to quote the percentage specifying above /below or at par accurate to two places of decimal or zero percentage on the Estimated cost to cover the rates of all the items under the Schedules of Composite Tender for Civil and Electrical work separately. This column should not be left blank, otherwise the tender shall be treated as INVALID.
- 3. The tender shall be finalized based on over all percentage quoted by the agency to determine the 'L1'
- 4. However the agency shall be paid for the Civil and Electrical items based on the percentages quoted by the agency for the respective components of work.
- 5. The Percentage shall be typed only in figures upto 2 (two) places of decimal along with algebraic sign.
- 6. The tenderer shall enable the macros before entering the figures, to be see the quoted percentage and amount in words.
- 7. If the Percentage quoted both in words and figures are not clear, or if the rate is not quoted in Percentage, the offer will be treated as INVALID.

Signature of Contractor Name:

Postal; Address: Hyderabad

E-Mail ID

Date:

EXECUTIVE ENGINEER CMU, NIRD&PR,

#### Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far a sispracticable), the formand nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which influence affect mav their tender. Α tenderer deemedtohavefullknowledgeofthesitewhetherheinspectsitornotandnoextra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools&plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he hasreadthisnoticeandallothercontractdocumentsandhasmadehimselfaware scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of thework

- 2) The competent authority on behalf of does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarilyrejected.
- 3) Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable torejection.
- 4) ThecompetentauthorityonbehalfofDirectorGeneral,NIRD&PRreservestohi mself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the ratequoted.
- 5) The contractor shall not be permitted to tender for works in the NIRD (responsible for ward and execution of contracts) in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the National Institute of Rural Development or in the Ministry of Rural Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 7)No Engineer of Gazetted rank or other Gazetteer officer employed in Engineering or Administrative duties in an Engineering Department of the is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the

- permission of the asaforesaidbefore submission of the tender or engagement in the contractorsservice.
- 8)Thetenderfortheworksshallremainopenforacceptanceforaperiodofsixtydays from the date of opening of tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance which ever is earlier or makes any modificationsinthetermsandconditionsofthetenderwhicharenotacceptableto the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

This Notice Inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority, shall, within 60 days from the stipulated date of start of the work sign the contract consisting of: -

- a) The notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- b) Standard C.P.W.D. Form -8
- 9 For composite tenders

Contractor

**ExecutiveEngineer** 

# 1. The tenderer must associate with himself agencies of the appropriate class eligible to tender for the other components individually.

It will be obligatory on the part of the tenderer to sign the tender document for all the components (The schedule of quantities, conditions and special conditions etc.)

After the work is awarded, the contractor will have to enter into separate agreement for each component with the officer concerned.

The Executive Engineer in charge of the major component will call tenders forthecompositework. The cost of tender document and earnest money will be fixed with respect to the combined estimated cost put to tender for the composite tender. Security deposit will be worked out separately for each component corresponding to the estimated cost put to tender for the composite tender. The earnest money will become part of the security deposit of the major component of work.

On acceptance of the composite tender by the competent authority, the letter of award will be issued by the Executive Engineer-in-charge of the major component on behalf of the DG, NIRD, making it clear in the letterof award that the contractor will have to execute separate agreements for different components of work with the concerned officers of the respective discipline (Designation to begiven).

Contractor

ExecutiveEngineer

#### General rules and directions:

- All work proposed for execution by contract will be notified in a form of invitation to tender pasted in public places and signed by the officer inviting tender or by publication in News papers as the case maybe.
  - This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnestmoneytobedeposited with the tender, and the amount of the bedeposit to be deposit to be deposited by the successful tenderer and the percentage, if any, tobededucted from bills. Copies of the specifications, designs and drawing sandary other documents required in connection with the work signed for the purpose of identification by the officer, inviting tender shall also be open for inspection by the contractor at the office of officer inviting tender during office hours.
- 2. In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney authorising him to do so, such powerofattorneytobeproducedwiththetender, and it must disclose that the firm is duly registered under the Indian Partnership Act, 1952.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tender asafirm,inwhichcasethe receiptsmustbesignedinthenameofthefirmbyoneof the partners, or by some other person having due authority to give effectual receipts for thefirm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders, which propose any alteration in the work specified in the said form of invitation of tender, or in the time allowed for carrying out the work, or which contain any other condition of any sort including conditional rebates, will be summarily rejected. No single tender shall
  - include more than one work, but contractors who wish to tender for two or more works
    shall submitseparatetenderforeach. Tendershall have the name and number of the works to which they refer, written on the envelopes.
  - The rate[s] must be quoted in decimal coinage. Amounts must be quoted in full rupees by ignoring fifty paise and considering more than fifty paise as rupee one
- 5. The officer inviting tender or his duly authorized assistant will open tenders in the presence of any intending contractors who may be present at the time, and will enter the amounts of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money forwarded therewith shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents mentioned in Rule-1. In the event of a tender being rejected, the earnest money forwarded with such unaccepted tender shall thereupon be returned to the contractor remitting the same, without anyinterest.
  - 6. The officer inviting tenders shall have the right of rejecting all or any ofthe tenders and will not be bound to accept the lowest or any othertender.
- 7. Thereceiptofanaccountantorclerkforanymoneypaidbythecontractorwillnotbe considered as any acknowledgement or payment to the officer inviting tender and the contractors shall be responsible for seeing that he procures a receipt signed by

the officer inviting tender or a duly authorized Cashier.

- 8. Thememorandumofworktenderedforandthescheduleofmaterialstobesupplied by the department and their issue-rates, shall be filled and completed in the office of the officer-inviting tender before the tender form is issued. If a form is issued to an intendingtendererwithouthavingbeenso filled inandincomplete,heshallrequest the officer to have this done before he completes and delivers histender.
- 9. The tenderers shall sign a declaration under the officials Secret Act, 1923, for maintainingsecrecyofthetenderdocumentsdrawingsorotherrecordsconnectedwith the work given to them. The unsuccessful tenderers shall return all the drawings given tothem.
- 10. In the case of item Rate Tenders, only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected. Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However,ifadiscrepancyisfound,therateswhichcorrespondwiththeamountworked out by the contractor shall unless otherwise proved be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rates written either in figures or in words then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor will unless otherwise proved be taken as correct and not theamount.
- 11. In the case of any tender where unit rate of any item/items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation such a tender is liable to be disqualified andrejected.
- 12. All rates shall be quoted on the tender form. The amount for each item should be worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures, the word "Rs" should be written before the figure of rupees andword "P" afterthedecimal figures, e.g. "Rs.2.20P" and in case of words, the word, "Rupees" should precede and the word "Paise" should be written at the end. Unless the rate is in whole rupees and followed by the word "only" it should invariable be up totwodecimal places. While quoting the rate in should not be written in the next line.
- 13. The contractor shall submit an irrevocable performance guarantee of 5% (five percent) of the tendered amount in addition to the other deposits mentioned elsewhere in the contract for proper performance of the agreement (not withstanding and / or without prejudice to any other provisions in the contract) within 90 days of issue of letter of intent. This guarantee shall be in the form of government securities or fixed depositreceipts or guarantee bonds of any scheduled bank or the statebank of India, in accordance with the form annexed hereto.
- 14. Thecontractorwhosetenderisaccepted, willberequired to furnish byway of Security Deposit for the fulfillment of his contract, an amount equal to 5% of the tendered value of the work. The Security deposit will be collected by deductions from the running bills of the contractor at 10% of the gross amount of each running bill till the sum along with sum already deposited as earnest money will amount to security deposite qual to 5% of the tendered value of the work [Bank Guarantee, is not to be accepted as Security deposit.]
- 15. On acceptance of the tender, the name of the accredited representative[s] of the contractorwhowouldberesponsiblefortakinginstructionsfromtheEngineer-in-

- Charge shall be communicated in writing to the Engineer-in-Charge.
- 16. Sales-tax, purchase tax, turnover tax or any other tax on material in respect of this contract shall be payable by the contractor and Government will not entertainany claim whatsoever in respect of the same.
- 17. The contractor shall give a list of both gazetted and non-gazetted C.P.W.D.&NIRD&PR employees related tohim.
- 18. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the samework. Failure toobserve this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to summary rejection.
- 19. The tender for composite work includes in addition to building work all other works such as sanitary and water supply installations drainage installation, electricalwork, horticulture work, roads and paths etc. The tenderer apart from being a registered contractor [B & R] of appropriate class, must associate himself with agencies of appropriate class which are eligible to tender for sanitary and water supply drainage, electrical and horticulture works in the compositetender.
- 20. The contractor shall submit list of works, which are in hand [progress] in the following form:-

Name of work	Name & particulars of Division where work is being executed	Value of work	Position of works in progress	Remarks
1	2	3	4	5

21. The contractor shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Superintending Engineer/Executive Engineer mayin his discretion without prejudice to any other right for remedy available in law cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

CPWD - 7	7.		
National I	nstitute of Rural Develor	oment and Panchayat	i Raj
State:	Telangana	Division:	CMU, NIRDPR
Percentaç	ge Tender & Contract for	the work	
Tender for	the workof: Minor repairs NIRDPR Campus	and internal paintings	to Vindyachal Guest House at
	ited by <mark>3.00 PM</mark> . on <b>10-05</b> - PR, Hyderabad.	-2021to The Executive	Engineer, Maintenance Unit
i)	•	021 in the office of the E	may be present at 3:00 executive Engineer,
Issuedto			
(Contractor)			
Signature	of the issuing authority		_ ,,
			Executive Enginee
			CMU,NIRDPR Hyderabad.
Date of issue	3.		nyuerabau.
Date of 133de	•		
Contracto	or		ExecutiveEngineer

#### TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, and E & F. Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Director General ,NIRD within the time specified in Schedule "F", viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for Sixty (60) days from the due date of submission thereof and not to make any modifications in its terms and conditions.

A sum of Rs.14,400/-demand draft of a scheduled bank as Earnest Money Deposit. If I / wefailtofurnishtheprescribedperformanceguaranteewithinprescribedperiod,l/weagree that the said Director General ,NIRDPR or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further if I/we fail commence work as specified, I/we agree that the Director General, NIRD or his successor in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule "F" and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2and12.3 of the tender form.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/we am/are authorizedtocommunicatethesameorusetheinformationinanymannerprejudicialtothe safety of the state.

Dated:	Signature of Contractor
Postal Address	
Witness:	
Address: Occupation:	

Contractor

**Executive Engineer** 

### **ACCEPTANCE**

The above tender (as modifi	ied by you as provided in the letters mentioned hereunder) is behalf of the Director General, NIRD&PR for a sum of Rs.
(Rupees	
The letters referred to below	v shall form part of this contract Agreement: -
i)	
ii)	
For & on behalf of DG, N	NIRDPR.
	Signature
	Designation
Dated	
Reference to General Condi	itions of contract.
ameof work: Minor repairs PART-A	and internal paintings to Vindyachal Guest House at NIRDPR Campu
Estimated cost put t	o tender
Earnest Money:	Rs.14,400/-
PerformanceGuarantee:-	5% of Tendered value

Security Deposit: **General Rules and Directions:** Officerinvitingtender: **Definitions:** 

E.E., CMU, NIRDPR, Hyderabad.

5% of Tenderedvalue.

#### **Schedules**

#### Schedule 'A'

Schedule of quantities (Enclosed)

#### Schedule 'B'

Schedule of materials to be issued to the contractor:

SI. no Description OfItem Quantity Rates in figures wordsat Place Of Which the material will be Charged to the contractor Issue

N I L. All materials Shall be arranged by the contractor in accordance with the special conditions.

Executive Engineer CMU,NIRDPR Hyderabad

#### Schedule 'C'

Tools and plants to be hired to the contractor

Sl.no. Description Hire charges Place of Issue perday

Schedule 'D'

Extra schedule for specific requirements/documents for the work, ifany: NIL

Schedule'E'

CLAUSE 10CC: Not Applicable.

Schedule'F'

Reference to General Conditions of contract.

Name of work: Minor repairs and internal paintings to Vindyachal Guest House at NIRDPR Campus

PART-A

ECPT:

Earnestmoney: Rs.14,400/-

PerformanceGuarantee: 5% of tendered value SecurityDeposit: 5% of tendered value.

**General Rules and Directions:** 

Officerinvitingtender: E.E., CMU,NIRD&PR,Hyderabad.

**Definitions:** 

2(v) Engineer-in-Charge Executive Engineer CMU,

NIRD&PR.,Hyderabad.

2(viii) AcceptingAuthority Executive Engineer

CMU., NIRDPR, Hyderabad

2(x) Percentage on cost of materials and 15%

labour to cover all overheads and

profits.

2 (xi) Standard Schedule of Rates:

Delhi Schedule of Rates 2018 with

up to date Correction slips

2 (xii) Department: INIRD&PR,Rajendranagar,Hyderaba

9 (ii) Standard CPWD contract Form: CPWD form 8 (2005) as notified &

corrected up to Date

Clause 1 i) Time allowed for submission of

performance guarantee from the date of issue of letter of acceptance,

in days

ii) Maximum allowable extension

7 days

beyondtheperiodini)above,in

days

Clause2 (i) Authority for fixingCompensation TechnicalCommittee

under clause 2

NIRD&PR. Hyderabad.

Clause 2 Whether the clause 2 A shall be No

A applicable

Clause 5 No of days from the date of issue of 10 days

tender acceptance for reckoning the

date of start.

(ii)Milestone(s) As per the table givenbelow.

## Table of Mile stone(s)

SI. Financial Time allowed Amount to be with-held in case of non no. Progress (from date of achievement of mile stone

		start)	
1	1/8 th (of the wholework)	¼ th (of the whole work)	In the event of not-achieving the necessary progress as assessedfrom the running payment, 1% of the tenderedvalueofworkwillbewithheld for failure of eachmilestone.
2	3/8 th (of the wholework)	½ th (of the whole work)	
3	3/4 th (of the wholework)	3/4 th (of the whole work)	
4	Full	Full	

Time allowed for execution of work:

-90-days

Authority to give fair and reasonable Extensions of time for completion ofwork

Executive Engineer, CMU., NIRD&PR., Hyderabad

Clause 7	Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such paymentfor being eligible tointerimpayment	
Clause11	Specifications to be followed for execution of work	C.P.W.D. Specifications 1996, Vol-I to VI with up to date correction slips, revised specification. 2002 for RCC and cement mortar and relevant
		I.S.Codes and enclosed Specifications.
Clause 12	Maximum percentage for quantity of items of work to be executedbeyond which rates are to be determined in accordance with Clauses 12.2 & 12.3.	See below.
12.2 & 12.3	Deviation Limit beyond which Clauses 12.2 & 12.3 shall apply for building works	30%
12.5	Deviation Limit beyond which Clauses 12.2 & 12.3 shall apply for foundationwork	100%
Clause 16 0	Competent Authority for deciding Reduced rates.	EXECUTIVE ENGINEER  CMU, NIRD&PR.
Clause 36 (	i) Minimum Qualifications& experience required for Principal Technical representative.	Diploma in CivilEngineering.
	ii) Discipline to which thePrincipal Technical Representative should belong	Bachelor of CivilEngineering
	iii) Minimum experience of works.	02 years
	iv) Recovery to be effected from the Contractor in the event of not fulfilling provision of clause 36(i)	Rs. 18,000/- p.m.

Clause42 i) Schedule/statement for determining theoretical quantity of cement & bitumen onthebasisofDelhiSchedule of Rates 2018printed by C.P.W.D. permissible ii) Variations on theoretical quantities. Cement: a) For works with estimated cost 3% (Plus / minus) put to tender not more than Rs.5 Lakhs 2% (Plus / minus) For works with estimated cost put to tender more than Rs.5 Lakhs **Corrections Interpolations** Over writing E.E

2.5 % plus only and nil on b) Bitumen for allworks minus side. 2% (Plus / minus) Steel Reinforcement and structuralsteel c) Sections for each diameter, section and Category. Allothermaterials Nil d)

#### Recovery rate for quantities beyond permissible variation:

SI.No Descriptionof item	Descriptionof item	Rates in figures and words at which recovery shall be made from thecontractor.		
		Excess beyond permissible variation.	Less use beyond the permissible variation	
1	Cement (43 grade OPC ISI marked)		Rs. 6,600/- per tonne (Rupees six thousand six hundredonly)	
2	Steel reinforcement (TMT bars)		Rs 48,000/- per tonne (Rupees forty eight thousand only	

#### **Conditions for Cement:**

- 1. The contractor shall procure 43 grade (confirming to IS8112) ordinary Portland cement as required in the work from reputed manufacturers of cement having production capacity of onemilliontoneperannumormoresuchasACC, L&T, J.P. Rowa, Vikram Shreecement, Birla and Cement Corporation India etc. i.e agencies approved by the ministry of Industry, and holdinglicensetouselSIcertificationmarkfortheirproduct.Thetenderersamyalsosubmita list of names of cement manufacturers which they propose to use in the work. The tender accepting authority reserves right to accept or reject name(s) of cement manufacture(s)which the tenderer proposes to use in the work. No change in the tendered rates will be accepted if the tender accepting authority does not accept the list of cement manufacturers, given by the tenderer, fully or partially. Supply of cements hall be taken 50 Kgbagsbearing manufacturers name and ISmarking Samples of cementarranged by the contractors hall be taken by the Engineer – in Charge and got tested in accordance with provisions of relevant BISCodes. In case test results indicate that the cement arranged by the contractor does not conform totherelevantBISCode, the same shall standrejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer- in-Charge, to doso.
- 2. The cement shall be brought at site in bulk supply of approximately 10 tones oras decided by the Engineer inCharge.
- 3. The cement godown of the capacity to store in a minimum of 600 bags of cement shall be constructed by the contractor at site of work for which no extra payment shall be made. Doublelockprovisions hall be made, to the door of cement godown. The keys of one lock shall remain with the Engineer-in Charge or hisauthorized representative and the key of the other lock shall remain with the contractor. The contractor shall be responsible for the watch and ward and safety of cement godown. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-Charge at anytime.
- 4. The contractor shall supply free of charge the cement required for testing. The cost of test will be borne by the contractor/Department in the manner indicated below.
  - (i) By the contractor if the result shows that the cement does not conform to relevant BIS code.
  - (ii) By the Department if the results show that the cement confirms to relevant BIS Code.
- 5. The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.
- 6. Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer-in-Charge.

#### **Conditions for Steel:**

1. ThecontractorshallprocuresteelreinforcementbarsconformingtorelevantBIScodes from main producers such as VSP SAIL TATA as approved by the Ministry of Steel. The contractor shall have to obtain and furnish test certificates to the Engineer- in-Charge I respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer-in-Charge as per the provisions in this regard in relevant BIS codes. In case the test results indicate that thesteel

- arrangedbythecontractordoesnotconformtoBIScodes,thesameshallstandrejected and shall be removed from the site of work by the contractor at his cost within a week time from written orders from theEngineer-in-Charge
- 2. The steel reinforcement shall be brought to the site in bulk supply of 10 tonnes ormore or as decided by the Engineer-in-Charge.
- The steel reinforcement shall be stored by the contractor at site of work in such away
  as to prevent distortion & corrosion and nothing extra shall be paid on this account.
  Bars of different sizes and length shall be stored separately to facilitate easycounting
  andchecking.
- 4. For checking nominal mass tensile strength bend test, re bend test etc., specimen of sufficientlength shallbecutfromeachsizeofthebaratrandom atfrequencynotless that specifiedbelow.

Size of bar	For consignment below 300 tones.	For consignment over 300 tones.
Under 10mm dia	One sample for each 25 tones or Part thereof.	one sample for each 40 tones or Part thereof
10 to 16 mm dia	One sample for each 35 tones or Part thereof.	one sample for each 45tonnes or Part thereof.
Over 16mm dia	One sample for each 45 tones or Part thereof.	one sample for each 50 tones or Part thereof.

5. The contractor shall supply free of charge the steel required for testing. The cost of tests shall be borne by the contractor/Department in the manner indicated below: Bythecontractor,iftheresults show that the steel does not conform to relevant BIS codes.

By the Department, if the results show that the steel conforms to relevant BIS codes.

- 6. The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steelshallbeworkedoutasperprocedureprescribedinclause42 of the contract and shall be governed by conditions laidtherein.
- 7. Steel brought to site and steel remaining unused shall not be removed fromsite without the written permission of the Engineer-in-Charge.

#### **SPECIAL CONDITIONS:**

- 1. UnlessotherwiseprovidedintheScheduleofQuantitiesofCPWDSpecificationsthe ratestenderedbytheContractorshallbeinclusiveandshallapplytoallheights,lifts, leads and depths of the building and nothing extra shall be payable to him on this account.
- 2. The contractors shall make their own arrangements for obtaining electric connectionsif required and make necessary payments directly to the department concerned.
- 3. Otheragenciesdoingworksrelatedwiththisprojectmayalsosimultaneouslyexecute their works and the contractor shall afford necessary facilities for the same. The contractor shall leave such necessary holes, openings etc., for laying/burying in the work pipes, cables, conduits, clamps, boxes, and hooks for fan clamps etc., as may berequiredforotheragencies. Conduitsforelectrical wiring/cables will be laidin away that they leave enough space for concreting and do not adversely affect the structural members. Nothing extra over the agreements rates shall be paid for thesame.
- 4. Some restrictions may be imposed by the security staff etc., on the working and for movement of labour, materials etc., The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on thisaccount.
- 5. a) The work shall be carried out in a manner complying in all respects with the requirements of relevant by laws of the local body under the jurisdiction of whichthe work is to be executed and/or as directed by the Engineer –in-Charge. And nothing extra will be paid on thisaccount.
  - b) If as per municipal rules the huts for labour are not to be erected at the site of work by the contractors. The contractors are required to provide such accommodation as is acceptable to local bodies and nothing extra shall be paid on this account.
  - c) The contractor shall comply with proper legal orders and directions of local or public authority or municipality and abide by their rules and regulations and pay all fees and charges, which he may be liable topay
- 6. Mines & Quarries recovery of seignior-age charges from the bills of the contractors royalty at the prevalent rates shall be deducted from the bills of the contractor on the material (where royalty is payable on materials like boulders, sand etc.) as per Govt of A.P. G.O. No. 217 dated 29/09/2004 (Copy enclosed) if the contractor fails to produce the documentary evidence having paid the seignior-age charges to the government. The quoted rate of the contractor shall be inclusive of all such royalty and taxes etc. and nothing extra shall be payable on thisaccount.
- 7) The Contractor will have to work according to the program for work approved by the Engineer-in-Charge. The contractor shall construct a sample unit whereverapplicable complete in all respect within time specified by the Engineer-in-Charge.
- 8) The contractor shall take instructions from the Engineer-in-Charge for stacking of material in any place. No excavated earth or building material shall be stacked onareas where other buildings roads, services or compound walls are to beconstructed.
- 9) Cement godown shall be provided with a single door with two locks. The keys of one locks shall remain with Engineer-in-Charge of work or his authorized representative andthatoftheotherlockwiththeauthorizedagentofthecontractoratthesiteofwork so that the cement is removed from the godown according to the daily requirement with the knowledge of both the parties and proper account maintained in standard proforma.
- 10) The contractor shall be fully responsible for the safe custody of the materialsissued

to him even if the materials are under double locksystem.

- 11) The contractor shall construct suitable godowns yards at the site of work forstoring all other materials so as to be safe against damage by sun, rain, fire, theft etc., at his own cost and also employ necessary watch and ward establishments for the purpose at hiscost.
- 12) The steel doors windows, ventilators and composite units shall be got fabricated in works shop duly approved by the Engineer-in-Charge.
- 13) The proof of execution certificate should be signed/countersigned by an officer not below the rank of Executive Engineer. The tender should be able to arrange steel centering and shuttering with steel propping for an area of up to 800 Sqm at a time for concretework.
- 14) The contractor has to submit bar chart for the execution of the work duly signedby the contractor so as to complete the work stipulated timeperiod.
- 15) Intending tenderers are advised to visit the site and get acquaintedwith site conditions beforetendering.
- 16) Any delay / failure on the part of the tenderer to arrange for men andmaterials at required time shall not be considered as validhindrance.
- 17) The contractor has to furnish monthly progress report indicating both physicaland financial status of thework.
- 18) Water charges: Clause 31 A of P W D 8 for unfiltered water supply is not applicable since the contractor has to arrange water for construction purposes andthis water shall be tested from a recognized laboratory periodically as directed by the Engineer-in-Charge. Testing charges will be borne by thecontractor.
- 19) The contractor shall supply free of charge the steel required for testing. The cost of test shall be borne by the contractor /Department in the manner indicated below:
  - (i) By the contractor if the results show that the steel does not conform to relevantBIS codes.
  - (ii) By the Department if the results show that the steel conforms torelevant BIS codes
- 20) The actual issue and consumption of steel on work shall be regulated andproper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steelshallbeworkedoutasperprocedure prescribed inclause 42 of the contract and shall be governed by conditions laidtherein.
- 21) Steel brought to site and steel remaining unused shall not be removedfrom site without the written permission of the Engineer-in-Charge.
- 22) The contractor shall furnish to the Department all the purchase invoices both for cement and steel for everyconsignment.
  - 23) Weight being calculated with the help of table-IV in Para 5.3.3. Of CPWD specifications 1996 however for bars M S /cold twisted up to and including 10 mm the following procedure shall be adopted. The average sectional weight for each diameter shall be arrived at from samples for each lot of steel received at site. The actual weight of steel issued shall be modified to take into account the variation between the actual and the standard co-efficient given in table IV and the contractorsaccountswillbedebitedbythecostmodifiedquantityonly. The decision to be followed for determining the average sectional weight of each lot Quantity of each diameter of steel received at site of work each lot. Quantity of each diameter of steel received at site of work each lot. Quantity of each diameter of steel received at site of work each lot. Quantity of each diameter
- 24) All materials obtained from Government stores or otherwise shall be got checked

by the Junior Engineer in-Charge of the works on receipt of the same at site beforeuse.

- 25) Thecontractorshould also dismantle the entire structure along with the foundations of the existing buildings and refill with earth in the dismantled foundations wherever necessary. The contractor should not use any serviceable /unserviceable materials obtained from the dismantlement in the construction if newbuildings.
- 26) The contractor should use factory made round type cover blocks for all R CC works to avoid displacement of bars in any directions and to ensure propercover.
- 27) Sometimes it shall not be possible to pay monthly bills on account of non-availability
- of LOC/Budget/Deposit. No claims hall be entertained for slow progress stoppage of work on this account.
- 28) Materials having BIS marking shall be used on work. In case any materials where the BIS marking is not available such materials should be got from the firms approved by

ChiefEngineer(SZ)IIWherenosuchapprovalexiststhentheshallbegotapprovedfrom theEngineerincharge.Thematerialsprocuredwithoutsuchapprovalwillnotbeallowed for use in thework.

- 29) All aluminium extruded doors and windows shall be manufactured from standard extruded aluminium section manufactured by JINDAL INDAL or the firms approvedby CE SZII.
- 30) Terrazzo tiles to be used shall be got from firm as approved by the CESZII.
- 31) Before use in work samples of granite and marble slabs, shade of laminated Particleboards and samples of manufactured items/fittings have to be got approved from the Engineer in charge.
- 32) Steel windows shall be manufactured in the workshop duly approved by CE SZII from standard sections having BIS marking from approved manufacturers like Sen Harvicks/Metal Window Corporation/Madhu Industries or from the firms approved by the EE., CMU, NIRD&PR, Rajendranagar, Hyderabad.

# GOVERNMENT OF TELANGANA ABSTRACT

Mines and Minerals – Revision of Rates of Seignorage Fee and Dead Rent - Orders – Issued.

INDUSTRIES

## AND COMMERCE (MINES.I)DEPARTMENT

G.O.MS.No.67

Dated:26/09/2015 Read thefollowing

1) G.O.Ms.No.198, Industries & Commerce (M.I) Dept., dt:13.08.2009 2) Government Memo No.418/M.I(1)/2015,dated:08.07.2015.

3) From the Director of Mines and Geology, Hyderabad Letter No.3305/MR/2014, dated:08.07.2015.

\*\*\*\*

#### ORDER:

The following notification will be published in the Extra-Ordinary Issue of the Telangana Gazettee dated:the 26<sup>th</sup> September, 2015.

#### **NOTIFICATION**

In exercise of the powers conferred by Section Sub-Section (1) of 15 of the Mines & Minerals (Development & Regulation) At, 1957 (Central Act No.67 of 1957), the Government of Telangana hereby issue the following amendments to the A.P. Minor Mineral Concession Rules, 1966 issued in G.O.Ms.No.1172, Industries & Commerce(Mines-I)Department,dated:04-09-1967andasamendedsubsequentlyfrom time to time and as adapted vide G.O.Ms.No.55, Industries & Commerce (Mines.I) Department, dated:26.08.2015 as A.P. Minor Mineral Concession Rules, 1966 (Telangana Adaptation) order,2015.

#### **AMENDMENTS**

In the said rules, under rule 10 for Schedules I and II the following shall be substituted, namely:

#### SCHEDULE-I

#### **RATES OF SEIGNIORAGE FEE**

		NAILSO	F SEIGNIORAGE FEE
SI. No.	Name of the Minor Mineral	Unit	Rate of Seigniorage fee (In Rupees)
1	Building Stone, Rough Stone/ Boulders, Road Metal and Ballast	M3/MT	75/50
2	Dimensional Stone used for Kerbs & Cubes	МТ	100/MT
3	Lime Kankar/ Limestone	MT	The rate of royalty as applicable to Limestone (other than LD Grade) in respect of major Minerals as per the 2 <sup>nd</sup> Schedule of the Mines & Minerals (D&R) Act, 1957.
4	Marble	M3/MT	32 250/100
5	Mosaic chips	MT	45
6	Morrum/Gravel & Ordinary Earth	M3/MT	30/20
7	Ordinary Sand	M3/MT	40/27
8	Shingle	M3/MT	25/17
9	Chalcedony Pebbles	M3/MT	75/50
10	Fullers Earth/ Bentonite	MT	150
11	Shale/Slate	MT	150
12	Rehmatti	MT	25
13	Limestone slabs	M2/MT	8/100

14	Brick Earth used in the manufacture of Bricks including Mangalore Tiles.	-	Rs.6000/- per kiln per annum		
15	Granite useful for	Gangs	aw above	Below 270	Equal and below
	cutting and polishing	270 x a	bove 150	X below 150	70
а	Black Granite	3	000	2300	1200
b	Colour Granite	2	300	2000	1000

The rates shown at SI.No.15 shall come into force w.e.f., two years from the date of this G.O. until then the rates ordered in G.O.Ms.No.198, Industries & Commerce (M.I) Dept., dt:13.08.2009 shall continue to be inforce.

#### **SCHEDULE-II**

#### **Rates of Dead Rent**

	SI. No.	Name of the mineral	Rate of Dead Rent per hectare per Annuam (in Rs.)
1		Black Granite	1,00,000
2	)	Colour Granite	80,000
3	}	Limestone other than classified as Major Minerals used for Lime burning or building construction purposes, Marble, Boulders, Building Stone including Stone used for Road Metal, Fullers Earth, Ballast Concrete and other Constructions purposes, Slate and Pyllites.	50,000
4		Gravel Morrum, Shingle, Limestone Slabs, used for Flooring purposes, Chalcedeny Pebbles used in the building purposes, Limeshell for burning used for building purposes and Rehmatti.	40,000

- **2.** TherateofroyaltyrevisedbyGovernmentofIndiawith effect from01.09.2014inrespectof(31)Major MineralsnowdeclaredasMinorMineralsandtransferredtotheStateGovernmentintheextra-ordinaryissue of the Gazette Government of India Notification No.423(E) dated:10.02.2015 shall be continued, until further orders.
- **3.** This order issues with the concurrence of Finance Department vide their U.O.No.11350/292/EBS-VII/I&C/2015,dated:18-09-2015.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

ARVIND KUMAR SECRETARY TO GOVERNMENT & CIP

To,

The Commissioner of Printing, Stationary & Stores Purchase (Ptg. Wing) Hyderabad. (He is requested to publish the above Notification in the Extra-Ordinary issue of Telangana Gazette, and arrange to send 1000 copies of the same to Government in Industries & Commerce (M.I) Department).

The Director of Mines and Geology, Telangana State, Hyderabad The Vice Chairman & Managing Director, Telangana State MineralDevelopment Corporation Ltd., Hyderabad. All the Joint Director/Deputy Director/Assistant Directors of Mines and Geology

through the Director of Mines and Geology, Hyderabad

Copy to:
The Secretary to Government, Ministry of Mines, Gol The Law (A) Department.

The Finance Department.

The Industries and Commerce (Mines.II) Department. The P.S. to Hon'ble Minister for Mines and Geology.

The P.S. to Secretary to Government &CIP, Ind. & Com. Dept., SF/Sc.(C.No.418/M.I(1)/2015)

//Forwarded::By order//

SECTION OFFICER

# Form Of Performance Security Bank Guarantee Bond

	eration of the Director General, N	,	
	ent") having agreed under the ter		_
			made
between_			
for thewor	rk	(nereinafter called "ti	ne said contractor(s)")
ioi tiiewoi			
(herein aft	ter called "the said Agreement") l	having agreed to produ	iction of a
	le Bank Guarantee forRs		
(Rupees_			
		only) as security/qu	arantee from
	actor(s) for compliance of his obli		
	itions in the saidagreement,		
١Λ/۵	•	hereinafter referred	to as "the
· ·	ndicate the name of theBank)	neremaner referree	110 43 1110
, ,	•		
•	ndertake to pay to the Governmer	nt an amountnot	
	gRs		<b>2</b> 1 )
(Rupees_	by theGovernment.		Only) or
•	•	,	. I I I
2. We	e pay theamounts	a	o nereby undertake
	the name of the Bank)		
(	,		
due and pa	ayable under this Guarantee witho	out any demure, merely	on a demand from the
	ent stating that the amount claimed		
	from the said contractor(s). Any su		
	e as regards the amount due and p		
	our liability under this guarantee s (Rupees		imount notexceeding
Νδ	(Nupees	on	ly).
2 We the	e said Bank further undertake to pa		
	inding my dispute or disputes raise		
	efore any court or Tribunal relating	• • • • • • • • • • • • • • • • • • • •	, ,
	and unequivocal. The payment so i		
	of our liability for payment there u		
-			
h a:	ue no eleim egginet us for maliis	v ough nours and	
nav We	ve no claim against us for making further agree that the guarant		ame of the Bank)

contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in-charge on behalf of the government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.

5.	We_	further	agree
	with theGovernment		
(Indic	cate the name of the Bank)		

that the Government shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor(s) and to for-bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said

contractor(s) or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said contractor(s) or byanysuchmatterorthingwhatsoeverwhichunderthelawrelatingtosureties would, but for this provision, have effect of so relievingus.

6.	Thisguaranteewillnotbedischargedduetothechangeinthe constitution of the Bank or the contractor(s).
7.	We lastly
/I II	undertakenotto revoke ethis
`	te the name of the Bank)
guarai	tee except with the previous consent of the Government inwriting.
8 This	guarantee shall be validuptounless extended on demand
	ernment. Notwithstanding any mentioned above, our liability against this
•	tee is restrictedto
•	
KS	(Rupees
— onl	) and unless a claim in writing is lodged with us within six months ofthe
	expiry or the extended date of expiry of this guarantee all our liabilities
	his guarantee shall stand discharged.
Dated	thedayof
for	(Indicate the name of the
Bank)	
•	

Contractor

ExecutiveEngineer

#### **GENERAL TERMS AND CONDITIONS:**

- The work in general shall confirm to CPWD specifications Vol.-I, Vol.-VI/ electrical specifications with up to date correction slips and as directed by the Engineer-incharge.
- 2. The rate shall be mentioned both in figures and words, the rates mentioned in words will be taken as correctrates.
- 3. The rates are net and inclusive of all taxes transport royalty, GST., octroi etc., and nothing extra to be paid on anyaccount.
- 4. No T & P will be issued by NIRD & PR.
- 5. A variation of 10% is allowed in quantities for all thetimes.
- 6. The contractor should make his own arrangements for all thematerials including cement, steel etc., and shall be kept under the control of the Executive Engineer, CMU, NIRD&PR., ISI., approved products only shall be used.
- 7. The water is to be arranged by the contractor at his own cost, if any time the water is supplied by NIRD a deduction of 1% of the bill amount will be deducted from the bill.
- 8. The payment will be made as per actualmeasurements.
- 9. Any damage to the adjacent structure shall be made good by the contractor at his own cost.
- 10. The right to reject any or all the tenders reserve with the EENIRD.
- 11. The contractor shall clear the site properly after completion of thework.
- 12. The income tax and other statutory recoveries will be recovered from the gross amount of the bills as perrules.
- 13. The time limit for the completion of the work is as mentioned in tender notice and any delay beyond the stipulated time period compensation will be levied from the contractor as per CPWDrules.
- 14. No labour will be allowed to stay in the campus in nights however thechowkidar who looks after the materials of the contractor will be allowed to stay.
- 15. The contractor should procure cement (OPC) from the reputed companies such as CORAMANDEL, KCP., ACC., AMBUJA, ULTRA TEK etc., as directed by Engineer-in-charge.
- 16. The contractor should procure steel from the reputedfirms.
- 17. The contractor has to submit the GST Registration certificate before recording Running Accountbill.

Contractor

**EXECUTIVEENGINEER**